

Eivissa-S & Eivissa-O

01



ECOJAS


Eivissa-S and Eivissa-O are lighting fixtures for ceiling or wall mounting, suited to various spaces. High-performing, they blend seamlessly with architectural environments through diverse aesthetic panels—from textured materials to varied designs. Their advanced beam control system meets daily basic lighting needs and delivers precise solutions for specific uses, like accent lighting in exhibitions or kitchen task lighting.



**CHOOSE THE
DIFFUSER
CHOOSE THE PLATE
CHOOSE THE BODY**

**CHOOSE YOUR
EIVISSA**

Eivissa Structure Decomposition Diagram





IK 10 Diffuser

Transparent




Plates

Red




Body

Dark Grey



Transparent Diffuser



Unleash EIVISSA' full optical potential for brighter, crystal-clear light that elevates any space.

Freely mix and match lamp bodies and panels to craft a lighting experience that's uniquely yours.







Opal Diffuser


09




Choose an opal diffuser panel to immerse yourself in light as gentle and enveloping as water. Bid farewell to harsh glare, as illumination diffuses evenly like a soft mist, nurturing your eyes and cultivating a serene atmosphere.


Freely mix and match lamp bodies and panels to curate your personal haven of soft light.




















Richly Colored Plates And Bodies



EIVISSA offers up to 15 color plates—including vibrant lemon yellow, energizing red, tranquil blue, and refreshing green—to fully customize your lighting experience. Combine these hues to create a personalized EIVISSA signature piece.

Choose The Plate & The Body

* The color of the plate and the body can be combined at will according to your preferences.

			
White	Grey	Dark gray	Warm white
			
Lemon yellow	Orange	Red	Dark blue
			
Sky blue	Grass green	Khaki	Brown
			
Electroplated silver brushed	Electroplated gold brushed	Electroplated rose gold brushed	

Create Your Own Lamp Module Combination

The EIVISSA modules can be flexibly combined with a wide range of accessories to create more complex lighting installations. The choice of different accessories greatly enhances the flexibility and freedom of personal customization, making them suitable for the needs of various environments. Let your creativity shine and create your own EIVISSA layout!

Accessories

A variety of installation accessories are available for selection. You can fully unleash your creativity to create a customized lighting module of your own.







Eivissa-S

18




ECOJAS

Technical Info & Codes


Versions						
Eivissa	Eivissa-S 		Eivissa-O 			
Finishes	Diffuser					
						
	Transparent Diffuser		Opal diffuser			
	Plates & Body					
	There are a total of 15 colors to choose from. Please see page 9 for details.					
Color Temperature	3000 K. On request: 6000K, Tunable White					
IP	66					
IK	10					
Control Systems	On/Off, DALI, Emergency. On request: Bluetooth					
Certifications	CE CCC ENEC					
Beams	      MediumWideVery WideRectangularAsymmetricDouble Asymmetric					
 Transparent Diffuser Opal diffuser	24°	55°	68°	56°+34°	43°+61°	86°+64°
	-	-	81°	-	-	-
Light source	LED ARRAY 13W; 18 W 20961m-2560 lm L70 B50=50,000h 3000K, CRI >80 SDCM <3		On request: 6000K, CRI >80	Tunable white  2700K-6500K		

Eivissa-S



Code example:

0 . BG03 . E . WW 0 0



Body&Plates color

Please see page 12 for the specific color.

Notes:

- In chart nominal Lumen/
In tabella Lumen nominali.
- Version 13W: for
environments up to
50°C/Versione 13 W: per
ambienti fino a 50°C.

** 3 hours emergency

- When operating in
emergency
mode, luminous flux is 30%
of the lumens emitted
under normal operating
conditions/**Versione
emergenza 3 ore - Il
prodotto in funzionamento
di emergenza emette il
30% del flusso emesso in
condizioni standard.

Photometric data:

www.reggiani.net



13W LED ARRAY

Lumen delivered up to 1474 lm / Lumen maintenance: L70 B50=50,000h

Driver	Version	Optics	Body	Plates
O On/Off D DALI On request H Bluetooth	BG03	E 24° Medium* M 55° Wide* O 68° Very wide* U 56°+34° Rectangular S 43°+61° Asymmetric T 86°+64° Double asymmetric	A total of 15 colors	A total of 15 colors
LED K CRI lm SDCM WW 3000 >80 2096 <3		On request: 6000K (CRI >80) Tunable white: (2700K-6500K)*		

13W Emergency** LED ARRAY

Lumen delivered up to 1474 lm / Lumen maintenance: L70 B50=50,000h

Driver	Version	Optics	Body	Plates
O On/Off D DALI	MG03	E 24° Medium* M 55° Wide* O 68° Very wide* U 56°+34° Rectangular S 43°+61° Asymmetric T 86°+64° Double asymmetric	A total of 15 colors	A total of 15 colors
LED K CRI lm SDCM WW 3000 >80 2096 <3		On request: 6000K (CRI >80)		

18W LED ARRAY

Lumen delivered up to 1800 lm / Lumen maintenance: L70 B50=50,000h

Driver	Version	Optics	Body	Plates
O On/Off D DALI On request H Bluetooth	BG04	E 24° Medium* M 55° Wide* O 68° Very wide* U 56°+34° Rectangular S 43°+61° Asymmetric T 86°+64° Double asymmetric	A total of 15 colors	A total of 15 colors
LED K CRI lm SDCM WW 3000 >80 2560 <3		On request: 6000K (CRI >80) Tunable white: (2700K-6500K)*		

18W Emergency** LED ARRAY

Lumen delivered up to 1800 lm / Lumen maintenance: L70 B50=50,000h


Driver	Version	Optics	Body	Plates
O On/Off D DALI	MG04	E 24° Medium* M 55° Wide* O 68° Very wide* U 56°+34° Rectangular S 43°+61° Asymmetric T 86°+64° Double asymmetric	A total of 15 colors	A total of 15 colors
LED K CRI lm SDCM WW 3000 >80 2560 <3		On request: 6000K (CRI >80)		

Eivissa-O



Code example:

0 . CG03 . 0 . WW 48



Body&Plates color

Please see page 12 for the specific color.

Notes:

- In chart nominal Lumen/ In tabella Lumen nominali.
- Version 13W: for environments up to 50°C/Versione 13 W: per ambienti fino a 50°C.

** 3 hours emergency
- When operating in emergency mode, luminous flux is 30% of the lumens emitted under normal operating conditions/ **Versione emergenza 3 ore - || prodotto in funzionamento di emergenza emette il 30% del flusso emesso in condizioni standard.

Photometric data:

www.reggiani.net



13W LED ARRAY

Lumen delivered up to 1015 lm / Lumen maintenance: L70 B50=50,000h

Driver	Version	Optics	Body	Plates
O On/Off D DALI On request H Bluetooth	CG03	E 24° Medium* M 55° Wide* O 68° Very wide* U 56°+34° Rectangular S 43°+61° Asymmetric T 86°+64° Double asymmetric	A total of 15 colors	A total of 15 colors
LED K CRI lm SDCM WW 3000 >80 2096 <3		On request: 6000K (CRI >80) Tunable white: (2700K-6500K)*		

13W Emergency** LED ARRAY

Lumen delivered up to 1015 lm / Lumen maintenance: L70 B50=50,000h

Driver	Version	Optics	Body	Plates
O On/Off D DALI	NG03	E 24° Medium* M 55° Wide* O 68° Very wide* U 56°+34° Rectangular S 43°+61° Asymmetric T 86°+64° Double asymmetric	A total of 15 colors	A total of 15 colors
LED K CRI lm SDCM WW 3000 >80 2096 <3		On request: 6000K (CRI >80)		

18W LED ARRAY

Lumen delivered up to 1240 lm / Lumen maintenance: L70 B50=50,000h

Driver	Version	Optics	Body	Plates
O On/Off D DALI On request H Bluetooth	CG04	E 24° Medium* M 55° Wide* O 68° Very wide* U 56°+34° Rectangular S 43°+61° Asymmetric T 86°+64° Double asymmetric	A total of 15 colors	A total of 15 colors
LED K CRI lm SDCM WW 3000 >80 2560 <3		On request: 6000K (CRI >80) Tunable white: (2700K-6500K)*		

18W Emergency** LED ARRAY

Lumen delivered up to 1240 lm / Lumen maintenance: L70 B50=50,000h

Driver	Version	Optics	Body	Plates
O On/Off D DALI	NG04	E 24° Medium* M 55° Wide* O 68° Very wide* U 56°+34° Rectangular S 43°+61° Asymmetric T 86°+64° Double asymmetric	A total of 15 colors	A total of 15 colors
LED K CRI lm SDCM WW 3000 >80 2560 <3		On request: 6000K (CRI >80)		

ECOJAS LIGHTING CO.,LTD

Office locate : China (Headquarter)

add : 7046-7047 / 7F-B area LIHE expo
center, GuZhen Zhongshan,GuangDong
China

Phone : + 86 1866 4800 062

E-mail : marketing@ecojas.com

Office locate : Australia

add : Unit 2/20 Artisan Road Seven Hills NSW 2147

AU Contactman : Tony Frangi

Phone : 006 1416 923543

E-mail : tony@syphersolutions.com.au

Duty : Sell Office

Office locate : UK

add : Unit 16c Airedale Business Park, Skipton,
North Yorkshire, Bd232dd, UK

Contactman : Nick Rickerby

Phone : 0044 7793 609266

E-mail : UK@ecoias.com

Duty : Sell office

Office locate : Sri lanka

add : 264/B.ATAWILAWATTAMAHAHEENATIYANGA
LAKALUTARA Sri Lanka

Contactman : Leonard Nishantha

Phone : 0094 77382 7750

E-mail : engineer@ecojas.com

Duty : guidance installation and technical

Tile : Installation Engineer

Office locate : India

add : C-100, RAINBOW TOWERS CHERAN NAGAR.
COIMBATORE TAMIL NADU , IINDIA

Contactman : Senthil S Nair

Phone : 0091 9787787777

E.mail : India@ecojas.com

Duty : Sell Office

Office locate : France

add : 33A RUE louis ARNAL 69380 LOZANNE

Contact man : DiDiER BULUKE

Phone : 0033 670843241

E-mail : bolcke.didicr@gmail.com

Duty : Sell office

Office locate : Korea

add : 50, Giljunam-ro,Bupyeong--gu, Incheon,
Republic of Korea

Contactman : Kang jangkyu

Phone : 0082 10 4800 2741

E-mail : deore23@naver.com

Duty : Sell Office

Office locate : GREECE

add : 54 PASSANDREOU ELOUNA AGIOS
NIKOLAUS

Contact man : DiDiER BULUKE

Phone : 0033 670843241

E-mail : bolcke.didicr@gmail.com

Duty : Sell office